




MAYFAIRGOLD

FENN-GIB GOLD PROJECT
Footwall Zone
DRILL PLAN MAP AND SECTIONS
for April 16, 2024, Press Release

DRILL SECTION: Holes FG24-385, 387, 388 and 390.







FG23-345
 1.44 gpt Au / 49.5m incl.
 9.20 gpt Au / 2.5m &
 2.92 gpt Au / 3.0m &
 4.36 gpt Au / 1.0m

FG23-345
 2.25 gpt Au / 2.0m

FG23-345
 2.05 gpt Au / 2.4m

FG23-372
 1.12 gpt Au / 9.0m

FG23-372
 2.26 gpt Au / 11.4m incl.
 4.07 gpt Au / 5.0m

FG23-347
 0.83 gpt Au / 34.0m incl.
 0.97 gpt Au / 13.0m incl.
 1.75 gpt Au / 2.0m &
 1.90 gpt Au / 5.0m incl.
 3.76 gpt Au / 1.5m

FG23-347
 1.28 gpt Au / 33.5m incl.
 4.90 gpt Au / 3.0m incl.
 9.97 gpt Au / 1.0
 2.29 gpt Au / 6.9m incl.
 7.90 gpt Au / 1.0m

FG24-385
 0.88 gpt Au / 71.0m incl.
 1.40 gpt Au / 28.3m incl.
 19.81 gpt Au / 1.8m &
 3.24 gpt Au / 1.0m

FG24-385
 2.37 gpt Au / 4.0m incl.
 5.95 gpt Au / 1.0m

FG24-385
 2.01 gpt Au / 8.9m incl.
 2.91 gpt Au / 5.0m

FG24-388
 1.97 gpt Au / 68.9m incl.
 4.82 gpt Au / 9.4m incl.
 11.25 gpt Au / 2.1m &
 3.01 gpt Au / 12.5m incl.
 6.91 gpt Au / 3.0m &
 6.63 gpt Au / 1.1m &
 4.15 gpt Au / 5.9m


FG24-345
 2.47 gpt Au / 5.4m

- sedimentary rocks (Porcupine Group Sediments)
- mafic volcanic rocks (massive, pillowed, variolitic flows)
- Altered mafic volcanic rocks (bleached, sericitic-carbonate-albite altered)
- ultramafic volcanic rocks
- Fuchsite-altered ultramafic volcanic rocks (green carb)
- syenite
- Intermediate intrusive
- felsic intrusive
- pyroxenite, ultramafic intrusive rocks
- mafic intrusive rocks
- feldspar porphyry
- lamprophyre
- diabase
- fault zone
- quartz vein, quartz-carbonate vein

0.0 12.5
 Au histogram scale
 (assay bar capped at 12.5m)

MAYFAIRGOLD		
FENN-GIB PROPERTY		
Section Easting: 559418.13		
Section 172 of 307		
Scale 1:2500	Section Azimuth: 39	Section Width: 25

FG24-390
FG24-391 (assays pending)
FG24-393 (assays pending)



MAYFAIRGOLD

FENN-GIB PROPERTY

Section Easting: 559701.33

Section 82 of 163

Scale 1:2500

Section Azimuth: 39

Section Width: 30